

Marque: SUNWARD
Modèle: SWE 18UF

Prix: £15,500

Réf: SUN5003

Marque / modèle: SUNWARD SWE 18UF

Année: 2025

Condition: Brand New

Info supplémentaires.:

- Machine weight: 1880kg
- 3 year full engine warranty
- Yanmar / Kubota EU stage V engine
- Complete with 3 buckets
- Manual quick hitch
- Zero tail swing
- 2 speed tracking
- Expandable tracks








TYPE OF CAB		Canopy
BUCKET CAPACITY		0.04 m ³
BUCKET WIDTH, STD.		380 mm
MACHINE WEIGHT		1890 kg
DIMENSIONS	Overall dimension (L × W × H)	3 582 × 990 × 2 350 mm
	A Total length	3 582 mm
	B Total height	2 350 mm
	C Total width	990/1 320 mm
	D Ground clearance of counter weight	462 mm
	E Minimum ground clearance	160 mm
	F Track length on the ground	1210 mm
	G Track length	1530 mm
	H Track gauge	760/1 080 mm
	I Undercarriage width	990/1 320 mm
	J Track shoe width	230 mm
ENGINE	Boom length	1 800 mm
	Arm length	1 150 mm
	Brand	YANMAR
	Model	3TW60-SSU
	Type	In-line, 3 cylinders, water cooled, mechanical pump
	Emission rating	EU Stage V
TRACK	Displacement	1 267 L
	Output	13.4/2 000 kW/rpm
	Max torque	67.4/1 600 N·m/rpm
	Type	Rubber track
UNDERCARRIAGE	Rubber shoe width	230 mm
	Track length	1 530 mm
	Traveling speed (High/Low)	3.5/2.0 km/h
SWING SPEED	Gradability	30 deg
GROUND PRESSURE		10 rpm
HYDRAULIC PUMPS		30.3 kpa
	Hydraulic pump type	2 variable piston pumps + 1 gear pump
	Max displacement of hydraulic pump	2×21 + 13 L/min
	Hydraulic pressure of hydraulic pump	24.5 Mpa
	Pilot pump	Gear pump
SWING MOTOR	Max displacement of pilot pump	6 L/min
	Hydraulic pressure of pilot pump	3.2 Mpa
TRAVEL MOTOR		Piston motor
FUEL TANK CAPACITY		2-speed piston motor
HYDRAULIC OIL TANK CAPACITY		24.6 L
		18.6 L

DIMENSIONS




Reliable, Powerful and Durable

All key components are carefully selected

The powerful Yanmar 3 TNV 80F engine complies with the European Union's latest Stage V emission requirements and the EPA's Tier 4 final emission requirements. Plus, for reliable and sustainable operations, this engine features low fuel consumption and low noise and vibration levels.

Because the hydraulics are often regarded as the heart of the machine, Sunward sources exclusively from the highest references in the market. For the SWE 18UF, we selected Japanese and Italian premium brands NACHI and Casappa to be our main suppliers for the hydraulic pump and travelling and swing motor. NACHI and Casappa pumps and components for construction machinery are efficient, reliable, and space-saving. So, it's no coincidence that Sunward selected them to contribute to the SWE 18UF's reliability.



Premium brand critical components

YANMAR Stage V engine	HYDRO-CONTROL Mechanical cartridge valves and joystick	NACHI/CASAPPA Main pump	Travelling motor	Swing motor
				

Immatriculé en Angleterre et au Pays de Galles Numéro de société: 03184184