Michael Burdge

Agricultural Machinery Sales

Michael Burdge Limited Pilhay Farm Bristol Road Hewish North Somerset BS24 6SN +44 (0)1934 838385 michael@michaelburdge.com

Make: SUNWARD Model: SWE 18UF

Price: POA Ref: SUN5003

Make / Model: SUNWARD SWE 18UF

**Year:** 2025

Condition: Brand New

## **Additional Spec:**

• Machine weight: 1880kg

- 3 year full engine warranty
- Yanmar / Kubota EU stage V engine
- Complete with 3 buckets
- Manual quick hitch
- Zero tail swing
- 2 speed tracking
- Expandable tracks































TYPE OF CAB		Canog
BUCKET CAPACITY		0.04 n
BUCKET WIDTH, STD.		380 m
MACHINE WEIGHT		1880
DIMENSIONS	Overall dimension (L × W × H)	3582×990×2350 m
	A Total length	3562 m
	B Total height	2350 m
	C Total with	990/1320 m
	D Ground clearance of counter weight	462 m
	E Minimum ground clearance	160 m
	F Track length on the ground	1210 m
	G Track length	1538m
	H Track gauge	790/1090 m
	I Undercarriage width	990/1320 m
	J Track shoewidth	230 m
	Boom length	1800 m
	Armlength	1150 m
ENGINE	Brand	YAMA
	Model	3TWW0-S1
	Type	Inline, 3 cylinders, water cooled, mechanical pur
	Emission rating	EU Stage
	Disabcement	1267
	Output	13.4/2.200 kW/m
	Max torque	67.4/1610 N*m/rp
TRACK	Type	Bulber trac
	Rubber shoe width	230 m
	Track length	1538 m
UNDERCARRIAGE	Traveling speed (High/Low)	3.5/2.0 km/
	Gradeability	30 de
SWING SPEED	viozatni)	10 m
GROUND PRESSURE		30.3 kg
OND OND PRESSURE	Hydraulic pump type	2 variable piston pumps +1 pear pum
	Max displacement of hydraulic pump	2*21+13 L/m
	Hydraulic pressure of hydraulic pump	2-21+ G L/m
HYDRAULIC PUMPS	Pilotauma	Gear pur
	Max displacement of pilot pump	6L/m
	Hydraulic pressure of pilot pump	32 Vi
SWING MOTOR	nyuraunc pressure or proc pump	Piston met
TRAVEL NOTOR		2-speed piston mot
FUEL TANK CAPACITY		z-speed piston mot
HYDRAULIC OIL TANK CAPACITY		24.5





## Reliable, Powerful and Durable



Incorporated in England and Wales Company number: 03184184